

ENERVEX EDRIVE E3 MOTOR SPEED CONTROLLER

009.3210.1018 02.25

Product Information

Use

The EDrive E3 Model Motor Speed Controller is a full-featured, industrial-type motor controller programmed used to control and adjust the speed of ENERVEX fans using EC-Motors and 3-phase Induction Motors. It's identical to the EDrive except the enclosure is NEMA 4X rated.

Description

The EDrive E3 includes an intuitive keypad, built-in mounting brackets with easy access control terminals. The built-in LED display indicates various parameters including motor frequency, amperage and alarm conditions.

It comes pre-programmed by ENERVEX for each specific motor. If program changes are necessary, the settings can be adjusted using the keypad panel.

Features include:

- Sensorless Vector Control
- 14 basic programmable parameters
- Internal Category C1 EMC filter (on selected drives)
- Integral RFI Filter
- 0.5 HP through 1.5 HP in 120 VAC single-phase input classes
- 0.5 HP through 15 HP in 200 VAC three-phase input classes
- 0.5 HP through 2.0 HP in 200VAC-single-phase input classes
- 1 HP through 30 HP in 400 VAC three-phase input classes
- Modbus and Bluetooth connectivity

The single-phase 120V drive version has a special boost phase that initially ramps the motor voltage while maintaining a fixed starting frequency, before reducing the frequency and voltage to the desired operating point.

Material

The frame and the cover is PC/ABS plastic. Rated NEMA 4X

Listings

UL 508C Standard for Power Conversion

Approvals

- CE compliant
- Full EMC Compliance

Warranty

2-Year Factory Warranty. Complete warranty conditions are available from ENERVEX Inc.



Specifications

Programming	OptiTools Suite
Overload Capacity	150% for 60 seconds
	175% for 2.5 seconds
Typical Efficiency	>98%
Operating Temperature	-4°F to 104°F (-20°C to 40°C)
Enclosure Rating	NEMA 4X (IP66)
Connectivity	Modbus, Bluetooth

Dimensions

Frame Size	Height	Width	Depth
1	9.13 (232)	6.34 (161)	6.37 (162)
2	10.12 (257)	7.4 (188)	7.16 (182)
3	12.2 (310)	8.3 (211)	9.37 (238)
4	14.17 (360)	9.44 (240)	10.82 (275)

Specifications are subject to change without notice.

ENERVEX

EDRIVE E3 MOTOR SPEED CONTROLLER

009.3210.1018 02.25

Product Information

EDrive E3 Selection Charts

Fan Model	Input Voltage	EDrive Model Number	Frame Size	kW	Max. Input Current (A)	Output Current (A)	Max Cable Size		EMC Filter
							mm	AWG	
BEF 225x	1 x 120VAC	321.2206.1200	1	0.37	7.8	2.3	8	8	No
	3 x 230VAC	321.2206.2200	1	0.37	3.4	2.3	8	8	No
	3 x 460VAC	321.2206.4200	1	0.75	3.5	2.2	8	8	Yes
BEF 315x	1 x 120VAC	321.2208.1200	1	0.75	15.8	4.3	8	8	No
	3 x 230VAC	321.2208.2200	1		5.6	4.3	8	8	No
	3 x 460VAC	321.2208.4200	1		3.5	2.2	8	8	Yes
BEF 355x	1 x 120VAC	321.2210.1200	1	0.75	15.8	4.3	8	8	No
	3 x 230VAC	321.2210.2200	1		5.6	4.3	8	8	No
	3 x 460VAC	321.2210.4200	1		3.5	2.2	8	8	Yes
BEF 450X	3 x 230VAC	321.2212.2200	2	1.5	8.9	7.0	8	8	Yes
	3 x 460VAC	321.2212.4200	1		5.6	4.1	8	8	Yes
BEF 500X	3 x 230VAC	321.2214.2200	3	5.5	26.4	24.0	8	8	Yes
	3 x 460VAC	321.2214.4200	3		17.2	14.0	8	8	Yes
BEF 560x	3 x 230VAC	321.2216.2200	3	5.5	26.4	24.0	8	8	Yes
	3 x 460VAC	321.2216.4200	3		17.2	14.0	8	8	Yes
BEF 630x	3 x 230VAC	321.2218.2200	4	7.5	33.3	30.0	16	5	Yes
	3 x 460VAC	321.2218.4200	3		21.2	18.0	8	8	Yes
BEF 710X	3 x 460VAC	321.2220.4200	4	15.0	34.2	30.0	16	5	Yes
BEF 800X	3 x 460VAC	321.2222.4200	4	22.0	51.9	46.0	16	5	Yes

Fan Model	Input Voltage	EDrive Model Number	Frame Size	kW	Max. Input Current (A)	Output Current (A)	Max Cable Size		EMC Filter
							mm	AWG	
EFV 250	1 x 120VAC	321.2306.1200	1	0.37	7.8	2.3	8	8	No
	3 x 230VAC	321.2306.2200	1		3.4	2.3	8	8	No
EFV 315	1 x 120VAC	321.2308.1200	1	0.75	15.8	4.3	8	8	No
	3 x 230VAC	321.2308.2200	1		5.6	4.3	8	8	No
	3 x 460VAC	321.2308.4200	1		3.5	2.2	8	8	Yes
EFV 400	3 x 230VAC	321.2310.2200	2	1.5	8.9	7.0	8	8	Yes
	3 x 460VAC	321.2310.4200	1		5.6	4.1	8	8	Yes
EFV 450	3 x 230VAC	321.2312.2200	2	2.2	12.1	10.5	8	8	Yes
	3 x 460VAC	321.2312.4200	2		7.5	5.8	8	8	Yes

Fan Model	Input Voltage	EDrive Model Number	Frame Size	kW	Max. Input Current (A)	Output Current (A)	Max Cable Size		EMC Filter
							mm	AWG	
GSV 400	3 x 230VAC	321.3310.2200	1	0.75	5.6	4.3	8	8	No
	3 x 460VAC	321.3310.4200	1		3.5	2.2	8	8	Yes
GSV 450	3 x 230VAC	321.3312.2200	2	1.5	8.9	7.0	8	8	Yes
	3 x 460VAC	321.3312.4200	1		5.6	4.1	8	8	Yes

ENERVEX

EDRIVE E3 MOTOR SPEED CONTROLLER

009.3210.1018 02.25

Product Information

Fan Model	Input Voltage	EDrive Model Number	Frame Size	kW	Max. Input Current (A)	Output Current (A)	Max Cable Size		EMC Filter
							mm	AWG	
RSV 400	3 x 230VAC	321.0510.2200	1	0.75	5.6	4.3	8	8	No
	3 x 460VAC	321.0510.4200	1		3.5	2.2	8	8	Yes
RSV 450	3 x 230VAC	321.0512.2200	2	1.5	8.9	7.0	8	8	Yes
	3 x 460VAC	321.0512.4200	1		5.6	4.1	8	8	Yes

Fan Model	Input Voltage	EDrive Model Number	Frame Size	kW	Max. Input Current (A)	Output Current (A)	Max Cable Size		EMC Filter
							mm	AWG	
SFTA 16	3 x 230VAC	321.2504.2200	1	0.75	5.6	4.3	8	8	No
	3 x 460VAC	321.2504.4200	1		3.5	2.2	8	8	Yes
SFTA 18	3 x 230VAC	321.2506.2200	1	0.75	5.6	4.3	8	8	No
	3 x 460VAC	321.2506.4200	1		3.5	2.2	8	8	Yes
SFTA21	3 x 230VAC	321.2508.2200	2	1.5	8.9	7.0	8	8	Yes
	3 x 460VAC	321.2508.4200	1		5.6	4.1	8	8	Yes
SFTA 24	3 x 230VAC	321.2510.2200	2	2.2	12.1	10.5	8	8	Yes
	3 x 460VAC	321.2510.4200	2		7.5	5.8	8	8	Yes
SFTA 30	3 x 230VAC	321.2512.2200	3	4.0	20.9	18	8	8	Yes
	3 x 460VAC	321.2512.4200	2	4.0	11.5	9.5	8	8	Yes
SFTA 36	3 x 230VAC	321.2514.2200	4	7.5	33.3	30.0	16	5	Yes
	3 x 460VAC	321.2514.4200	3	7.5	21.2	18.0	8	8	Yes

Fan Model	Input Voltage	EDrive Model Number	Frame Size	kW	Max. Input Current (A)	Output Current (A)	Max Cable Size		EMC Filter
							mm	AWG	
TDF 160	1 x 120VAC	321.0902.1200	1	0.37	7.8	2.3	8	8	No
	3 x 230VAC	321.0902.2200	1		3.4	2.3	8	8	No
TDF 200	1 x 120VAC	321.0904.1200	1	0.37	7.8	2.3	8	8	No
	3 x 230VAC	321.0904.2200	1		3.4	2.3	8	8	No
TDF 250	1 x 120VAC	321.0906.1200	1	0.37	7.8	2.3	8	8	No
	3 x 230VAC	321.0906.2200	1		3.4	2.3	8	8	No
TDF 300	3 x 230VAC	321.0908.2200	2	1.5	8.9	7.0	8	8	Yes
	3 x 460VAC	321.0908.4200	1		5.6	4.1	8	8	Yes
TDF 400	3 x 230VAC	321.0912.2200	2	2.2	12.1	10.5	8	8	Yes
	3 x 460VAC	321.0912.4200	2		7.5	5.8	8	8	Yes
TDF 500	3 x 230VAC	321.0914.2200	3	4.0	20.9	18.0	8	8	Yes
	3 x 460VAC	321.0914.4200	2		11.5	9.5	8	8	Yes
TDF 560	3 x 230VAC	321.0916.2200	3	5.5	26.4	24.0	8	8	Yes
	3 x 460VAC	321.0916.4200	3		17.2	14.0	8	8	Yes
TDF 620	3 x 230VAC	321.0918.2200	4	7.5	33.3	30.0	16	5	Yes
	3 x 460VAC	321.0918.4200	3		21.2	18.0	8	8	Yes
TDF 685	3 x 460VAC	321.0921.4200	4	22.0	51.9	46.0	16	5	Yes
TDF 900	3 x 460VAC	321.0922.4200	4	22.0	51.9	46.0	16	5	Yes